



SHINING ALUMINUM PACKAGING CO., LTD

Tel: 0086-574-87811501
E-mail: pony@cnshining.com
Fax: 0086-574-87811500
Web: www.cnshining.com

Add: Floor18th, Jiaochen Building, No.16 Xinghai
Southern Road, Hi-tech District, Ningbo, P.R.China



facebook.com/alubottle
twitter.com/aluminumbottle



About SHINING

Shining Aluminum Packaging Co., Ltd, is one of the China leading manufacturer of aluminum bottle, aluminum jar, aluminum tube, and other unique aluminum packaging for global consumers in food & beverage, cosmetic, pharmaceutical, household and car care industry.

Our bottles are made from pure aluminum which is 100% recyclable, making our bottles eco-friendly. The one-piece aluminum construction and customized shape of our bottles and canisters, offer a feeling of originality and exclusivity. Aluminum containers are virtually unbreakable and for all-purpose usage, available in capacity ranging from 10ml to 5,000ml, even larger if required.

The epoxy resin inner coating makes them corrosion-resistant and non-toxic, and have already passed all tests according to Standard of LFGB and FDA. Our facilities are equipped with high quality machineries from Mall+Herlan, and Hintekopf. Quality uncompromised was our principle.

Shining Aluminum Packaging Co.,Ltd provides innovative and customized solutions to enhance the value of your brand.

SHINING in Figures

1

**NO. 1 aluminum
package company
in china**

7

**7 years aluminum
package design
experience**

9

**Up to 9 spot colors
printing facility**

15

**15 full automatic
production lines
for us**

50

**Exported to more
than 50 countries**

120

**Daily output of 120
thousands per line**

Table of Contents

Why Choose us	1	Major Customers	4
Process	2	Finished Type	5-6
Certification	3		

Bottle



Wine Bottle	7-8
Vodka Bottle	9-10
Standard Beer Bottle	11-12
Soft Drink Bottle	13-14
Energy Shot Bottle	15
Craft Beer Bottle	16
Lotion Bottle	17-18
Powder Bottle	19
Dropper Bottle	20
Essential Oil Bottle	21-22
Mini Bottle	23
Large Bottle	24
Additive Bottle	25-26

Aerosol Can



Oxygen Can	32
Standard Aerosol Can	33-34

Tube



Collapsible Tube	35-36
Cigar Tube	37-38

Cup



Drink Cup	39-40
-----------	-------

Jar



Aluminum Jar	27-28
--------------	-------

Caps & Closures



Fine Mist Pump	41
Foam Pump	42
Treatment Pump	43-44
Lotion Pump	45-46
Trigger Sprayer	47-48

Canister



Screw Canister	29-30
Snap Canister	31

OEM Products	49-50
New Products	51
New Finished Type	52

Why Choose Us



OPM/OEM/ODM

Holding over 15 years of experience in aluminum packaging. We can do OEM/ODM/OPM service better.



Consultation Pack

We are able to adapt to any request by offering you three aluminum packaging solutions, including quick pack, adapted pack, personalised pack.



R&D

We have professional R&D staffs and an industrial design team. Our R&D team develops about 8 kinds of high-quality products every month.



Automatic Line

Our facilities are equipped with high quality machineries from Mall+Herlan and Hinterkoof from Germany.



QA & QC

100% passing rate is guaranteed, including IQC, IPQC, FQC, OQC. All our aluminum packaging are FDA, LFGB Certified.



Filling Service

One-step solution. We offer filling service for cosmetic, food & beverage, pharmaceutical, and additive customers if necessary.

Process

An artistic journey of aluminum slug



Impact Extrusion Press

An aluminum slug several millimeters thick flows during this process by backward extrusion between die and punch. This is way thin walled aluminum cylinders are produced. Production speed up to 200 cans/minute.



Internal Lacquering Machine

Available for a wide variety of lacquer applications, including food, beverage, cosmetic, household and industrial purpose. Machines have 9 spray guns and applying 3 times spraying each cylinder during productions.



Offset Printing Machine

With servo-motor driven ink rollers, all inking unit functions are individually controlled on the touch panel. 9 colors offset printing could be easily applied on all aluminum cylinders.



Necking Machine

42 Station necking technology with embossing process create almost all kind of shape required.

Certification

Professional · Quality

The epoxy resin inner coating from **PPG** and **valspar** makes them corrosion resistant, non-toxic and BPA free. All products already passed LFGB, FDA standard food safety testing.



Major customers



Finished type COLORFUL ALUMINUM CONTAINERS & BOTTLES

Attractive, Colorful Aluminum Bottles & Containers:

All aluminum containers & bottles are made and finished according to customer specific request. Finishes include painting, offset printing, heat transfer, chrome plated, anodized, etc.



Soft Touch



Hot Stamping



Embossed



Painting



Offset Printing



Heat Transfer



Chrome Plated




Anodized



ALUMINUM Wine Bottle 150-1200ML


Material: 99.7% aluminum
Cap: Aluminum ROPP cap
Capacity(ml): 150-1200
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing, Offset printing
Usage: Vodka, Spirit, Whisky, Brandy, Rum, Liquor, Wine, Champagne, Alcohol



Item No.	Diameter mm	Height Range mm	Capacity Range ml
02050XXX	50	140-220	150-300
02053XXX	53	140-225	160-350
02059XXX	59	150-250	200-500
02066XXX	66	150-295	300-750
02073XXX	73	180-295	450-900
02080XXX	80	200-295	600-1000
02088XXX	88	220-295	700-1200
XXX means height, Special sizes upon request			



Material: 99.7% aluminum
Cap: ROPP cap with or w/o aluminum cover
Capacity(ml): 100-1800
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing
Usage: Vodka, Spirit, Whisky, Brandy, Rum, Liquor, Wine, Champagne, Alcohol



Item No.	Diameter mm	Height Range mm	Capacity Range ml
01050XXX	50	100 - 220	100-300
01059XXX	59	120 - 235	200-500
01066XXX	66	120 - 250	250-700
01073XXX	73	120 - 295	300-1000
01080XXX	80	140 - 295	450-1200
01088XXX	88	140 - 295	550-1400
01095XXX	95	160 - 300	750-1800
XXX means height , Special sizes upon request			

ALUMINUM Vodka Bottle 100-1800ML



Material: 99.7% aluminum
Opening: 26.6mm
Cap: Crown cap, Swing-top cap, Pull ring cap
Capacity(ml): 200-500
Thickness(mm): 0.4-0.6
Surface finish: Polishing, Offset printing
Usage: Beer, Coffee, Beverage



ALUMINUM Standard Beer Bottle 200-500ML



Shape	Item No.	Diameter mm	Height Range mm	Capacity Range ml
A	13059200	59	200	330
	13059260	59	260	473
B	13059180	59	180	330
	13059240	59	240	473
C	13059190	59	190	330
	13059240	59	240	473
D	13053167	53	167	200
	13053190	53	190	250

ALUMINUM Soft Drink Bottle 200-750ML



Standard 28mm
temper evident open

1-9 colors offset printing

Aluminum ROPP cap



FDA/LFGB approved inner coating

Aluminum ROPP cap

Round Shoulder

38mm PET

Standard 38mm
temper evident open



1-9 colors offset printing



FDA/LFGB approved inner coating



Bullet Shoulder



ALUMINUM

Energy Shot Bottle 60-100ML



1-9 colors offset printing

ALUMINUM

Craft Beer Bottle 1000ML






ALUMINUM Lotion Bottle 20-1500ML



Material: 99.7% aluminum
Opening(mm): 18, 20, 24, 28, 30, 33, 38, 43, 61
Closures: Lotion pump, Fine mist pump, Treatment pump, Trigger sprayer, Foam pump, Screw cap
Capacity(ml): 20-1500
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing, Chrome plated, Offset printing
Usage: Cosmetics, Personal Care, Household



Item No.	Diameter mm	Height Range mm	Capacity Range ml
05028XXX	28	55-110	20-50
05032XXX	32	60-130	30-80
05035XXX	35	70-160	40-120
05040XXX	40	90-190	80-200
05045XXX	45	100-190	100-230
05050XXX	50	100-220	120-350
05053XXX	53	110-235	150-430
05059XXX	59	120-235	200-500
05066XXX	66	120-250	250-700
05073XXX	73	120-295	300-1000
05080XXX	80	140-295	500-1250
05088XXX	88	140-295	600-1500

XXX means height, Special sizes upon request



ALUMINUM Powder Bottle 30-1500ML




ALUMINUM Dropper Bottle 15-80ML



ALUMINUM Essential Oil Bottle 40-1500ML

Material: 99.7% aluminum
Cap: PP cap with tamper evident tear-off ratchet ring, PE plug
Opening: 32mm, 45mm, 62mm
Capacity(ml): 40-1500
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing
Usage: Essential oil, Motor additives, Industrial adhesives and primers



Item No.	Diameter mm	Height Range mm	Capacity Range ml
09036XXX	36	70-160	40-120
09045XXX	45	100-190	100-230
09050XXX	50	100-220	120-350
09053XXX	53	110-235	150-430
09059XXX	59	120-235	200-500
09066XXX	66	120-235	250-700
09073XXX	73	120-295	300-1000
09080XXX	80	140-295	500-1250
09088XXX	88	140-295	600-1500

XXX means height , Special sizes upon request

ALUMINUM

Mini Bottle

10-200ML



ALUMINUM

Large Bottle

2.5-10L



Material: 99.7% aluminum
Cap: Aluminum ROPP cap
Opening(mm): 20, 24
Capacity(ml): 50-750
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing
Usage: Fuel oil additive, Engine oil additive, etc.

Aluminum ROPP cap


PP funnel (33mm)

1-8 colors heat transfer printing
Screen printing

Long neck easy use

PE plug with tear off ring

ALUMINUM Additive Bottle 50-750ML




Item No.	Diameter mm	Height Range mm	Capacity Range ml
03035XXX	35	70-160	50-100
03040XXX	40	90-190	60-150
03045XXX	45	90-210	80-250
03050XXX	50	100-220	100-300
03053XXX	53	110-235	130-400
03059XXX	59	120-250	150-500
03066XXX	66	120-295	200-750

XXX means height, Special sizes upon request

ALUMINUM JAR 5-350ML

Material: 99.7% aluminum
Cap: Aluminum screw cap, Aluminum snap cap, Aluminum cap with PET window
Capacity(ml): 5-350
Thickness(mm): 0.25, 0.3, 0.5
Surface finish: Color painting, Anodizing, Screen printing, Labeling, Chrome plated
Usage: Cosmetic, Face cream, Hair dye, Condiment, Tea, Capsule, Tablet, Candle


Screw Cap Jar 15—50ML




Screw Cap Jar 60—100ML



Screw Cap Jar 150—350ML



Snap on Cap Jar 25—250ML



Fold Screw Cap Jar 10—250ML



Cap Inner Printing

Offset Printing

Embossment-on lid

Anodizing

Arc-shaped lid

Chrome plated

Slip-on lid

Semicircle jar

OEM with foam

PET window cap



Material: 99.7% aluminum
Cap: Aluminum screw cap, PP cap
Capacity(ml): 30-2500
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing
Usage: Storage, Capsules, Vitamin, Spice, Tea and Protein powder



ALUMINUM Screw Canister 30-2500ML





ALUMINUM Snap Canister 250-500ML



HEALTH
SANTÉ

FOOD
ALIMENTAIRE

PERSONAL CARE
BEAUTY
HYGIÈNE & BEAUTÉ

ALUMINUM Oxygen Can 500-1000ML





ALUMINUM Standard Aerosol Can 20-710ML

	Round								Flat								Rim								Bullet								Gorge								Shape1								Shape2								Shape3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Diameter(±0.3mm)	Diameter 22mm																Diameter 25mm																Diameter 28mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Height (±0.5mm)	58	65	70	75	80	85	90	95	100	65	70	75	80	85	90	95	100	65	70	75	80	85	90	95	100	105	110	70	80	90	100	110	120	130	135	140	150	160	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	235	110	115	125	140	150	165	180	200	220	235	140	150	160	170	180	190	200	210	220	230	240																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Full Volume (ml)	20	22	23	25	27	29	31	32	34	31	32	34	36	38	40	42	44	29	32	35	38	41	44	47	50	53	56	53	62	71	80	89	98	108	112	117	126	135	78	88	99	110	121	132	143	155	166	177	94	96	105	117	128	140	151	163	174	208	132	138	145	160	176	191	206	221	236	251	266	161	177	196	205	214	233	252	271	289	308	327	345	364	383	392	202	211	233	258	285	317	349	391	433	462	255	280	305	330	355	381	406	431	456	275	297	320	343	366	390	414	438	462	486	510	534	558	582	606	630	654	678	702																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Shoulder	Round																Round Flat																Straight																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Opening	20mm																20mm																1 Inch																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Diameter(±0.3mm)	Diameter 35mm																Diameter 38mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Height (±0.5mm)	70	80	90	100	110	120	130	135	140	150	160							80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	235	110	115	125	140	150	165	180	200	220	235	140	150	160	170	180	190	200	210	220	230	240																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Full Volume (ml)	53	62	71	80	89	98	108	112	117	126	135							78	88	99	110	121	132	143	155	166	177	94	96	105	117	128	140	151	163	174	208	132	138	145	160	176	191	206	221	236	251	266	161	177	196	205	214	233	252	271	289	308	327	345	364	383	392	202	211	233	258	285	317	349	391	433	462	255	280	305	330	355	381	406	431	456	275	297	320	343	366	390	414	438	462	486	510	534	558	582	606	630	654	678	702																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Shoulder	Round Screw Straight Shape																Round Flat Straight Bullet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Opening	1 Inch 20mm																1 Inch																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Diameter(±0.3mm)	Diameter 40mm																Diameter 45mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Height (±0.5mm)	90	92	100	110	120	130	140	150	160	190								100	105	110	120	130	140	150	160	170	180	190	200	210	220	235	110	115	125	140	150	165	180	200	220	235	140	150	160	170	180	190	200	210	220	230	240																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Full Volume (ml)	94	96	105	117	128	140	151	163	174	208								132	138	145	160	176	191	206	221	236	251	266	161	177	196	205	214	233	252	271	289	308	327	345	364	383	392	202	211	233	258	285	317	349	391	433	462	255	280	305	330	355	381	406	431	456	275	297	320	343	366	390	414	438	462	486	510	534	558	582	606	630	654	678	702																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Shoulder	Round Rim Straight																Round Flat Rim Gorge Screw Shape																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Opening	1 Inch																1 Inch																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Diameter(±0.3mm)	Diameter 50mm																Diameter 53mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Height (±0.5mm)	100	110	120	125	130	140	150	160	170	180	190	200	210	220	235			110	115	125	140	150	165	180	200	220	235	140	150	160	170	180	190	200	210	220	230	240	140	150	160	170	180	190	200	210	220	230	240																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Full Volume (ml)	161	177	196	205	214	233	252	271	289	308	327	345	364	383	392			202	211	233	258	285	317	349	391	433	462	255	280	305	330	355	381	406	431	456	275	297	320	343	366	390	414	438	462	486	510	534	558	582	606	630	654	678	702																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Shoulder	Round Flat Rim Gorge Bullet Screw Shape																Round Flat Rim Gorge Drum Bullet Shape																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Opening	1 Inch																1 Inch																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Diameter(±0.3mm)	Diameter 55mm																Diameter 59mm																Diameter 66mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Height (±0.5mm)	140	150	160	170	180	190	200	210	220								120	130	140	180	215	235																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Material: 99.7% aluminum
Opening: 1 inch, 20mm
Capacity(ml): 20-710
Thickness(mm): 0.4-0.5
Surface finish: Polishing, Offset printing
Usage: Cosmetic, Daily use, Deodorant, Perfume, Medicine, etc



ALUMINUM Collapsible Tube 3-200ML



Material: 99.7% aluminum
Thread: M7/3.5, M9/5.5, M11/7, M15/10, M20/15
Nozzle: Metricsealed, Plastic-on-ert, Extended Plastic, Metricsealed open, Plastic on-ert
Capacity(ml): 3-200
Thickness(mm): 0.1
Surface finish: Polishing, Offset printing
Usage: Ointment, Gel, Hair dye, Toothpaste, Gule, Cream ketchup, Salad, Chocolate

Thread/ Orifices	Diameter (mm)														
	Φ11	Φ12	Φ13	Φ13.5	Φ14	Φ16	Φ19	Φ22	Φ25	Φ28	Φ30	Φ32	Φ35	Φ38	Φ40
M7/3.5	+	+	+	+	+	+									
M9/5.5			+	+	+	+	+	+	+	+	+				
M11/7							+	+	+	+	+	+	+	+	+
M15/10										+	+	+	+	+	+
M20/15												+	+	+	+

Length Capacity	Diameter (mm)														
	Φ11	Φ12	Φ13	Φ13.5	Φ14	Φ16	Φ19	Φ22	Φ25	Φ28	Φ30	Φ32	Φ35	Φ38	Φ40
3	50														
4	70	60	55	45	43										
5		70	65	55	53										
6			75	70	68										
7			85	80	78	65									
8			95	90	85	70									
9			100	95	90	75									
12					105	90									
16						110	90								
20							105	90							
25							120	105							
30							130	115							
35								130	110						
40								150	120						
50									160	130					
60										150	135				
70										165	155	130			
80										180	170	150			
90											180	170	150		
100												180	160	150	140
110													170	165	150
115													175	170	155
125													185	180	165
135													190	190	175
145														200	185
155															195
165															
175															
185															
195															
200															

ALUMINUM Cigar Tube

Material: 99.7% aluminum
Cap: Aluminum screw cap
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Screen printing, Heat transfer printing
Usage: Cigar, Cigarette, Spice, Tea leaf, Powder, E-liquid, etc.



Screw-cap Tubes							
D1 (mm)	L1 length(mm)		Bottom Shapes				colours
	min.	max.					
19	50	180	+				8
20	50	180	+	+	+		8
20.5	50	180	+		+		8
22	50	180	+		+		8
23	50	180	+	+	+		8
24	50	180	+	+	+		8
25	50	180	+	+	+	+	8
28	50	180	+		+		8
30	50	200	+		+		8

Double Tubes											
Upper Part						Lower Part					
D1	L1 length(mm)		Shapes Upper Part			colours	D2	L2 length(mm)		Shapes Lower Part	
(mm)	min.	max.					(mm)	min.	max.		
18	47	180	+	+		8	18	47	180	+	+
23	47	180	+	+		8	23	47	180	+	+
25	47	180	+	+	+	8	25	47	180	+	+
26	47	180	+	+		8	26	47	180	+	+


Double-sliding Tubes											
Upper Part						Lower Part					
D1	L1 Length(mm)		Formen Shapes			D2	L2 Length(mm)		Formen Shapes		colours
(mm)	min.	max.				(mm)	min.	max.			
24.5	50	180			+	23.5	50	180			8
33	50	180			+	32	50	180			8



Material: 99.7% aluminum
Capacity(ml): 100-1000
Thickness(mm): 0.5-0.8
Surface finish: Polishing, Color painting, Anodizing
Usage: Water, Vodka, Spirit, Whisky, Brandy, Coffee, Cola



ALUMINUM Drink Cup 100-1000ML



Anodizing

Color painting

1- 8 colors heat transfer printing

Mini cup

FINE MIST PUMP



FOAM PUMP



Φ20/410 0.14cc
PA201YXC



Φ20/410 0.14cc
P201YHA



Φ24/410 0.15cc
PA241WDC



Φ24/410 0.12cc
PN241HMD



Φ24/410 0.45cc
PO241YXA



Φ18/410 0.14cc
PN181WDA



Φ24/410 0.15cc
PA241YXB



Φ20/410 0.09cc
PA201SMA



Φ40/410 0.8cc
LF401TYD



Φ43/410 0.8cc
LF431TYA



Φ43/410 0.8cc
LF431DFC



Φ30/410 0.4cc
LF301TLA



Φ40/410 0.8cc
LF401TYB



Φ40/410 0.8cc
LF401DFA



Φ24/410 0.25cc
LTA241XSB



Φ24/410 0.25cc
LT241YXA



Φ28/410 1cc
LTA281SLA



25.4mm 0.3cc
LTS25.4FRH



25.4mm 0.3cc
LTS25.4FRG



Φ24/410 0.45cc
LT241SLD



Φ24/410 0.45cc
LTA241YWA



Φ24/410 0.45cc
LT241YWA




Φ24/410 0.45cc
LT241SLE

TREATMENT PUMP



LOTION PUMP



TRIGGER SPRAYER



Φ28/410 0.35cc
TI281RDA



Φ28/410 0.7cc
T281CMH



Φ28/410 0.7cc
T281CMA



Φ28/410 1.3cc
T281ZZA



Φ24/410 0.3cc
TM241RDB



Φ24/410 0.3cc
TM241JZA



Φ28/410 1.3cc
T281SJA



Φ28/400 0.9cc
TI280YLA



Φ28/400 1.2cc
TI280JZD



Φ28/410 0.9cc
T281YXC



Φ24/410 0.4cc
TM241JMB



Φ24/410 0.3cc
TM241JZB

Coca-Cola®

OEM Products

Coca-Cola®

Aluminum cup for 2016 Rio Olympic



Patent CN201510297012.X

Mini aluminum coca-cola bottle for 2014 world cup

